


**Conform to:****Test API 598****MSS SP61****ANSI B16.5****ANSI B16.10****ANSI B16.34****FF or RF FLANGES**

DN	D1	H (~) (Open)	H (~) (Close)	L	D	K	f	Holes NO. f	Weight (Kg)
1"	150	370	330	165.0	124	89	19	4	14
1"1/4	170	390	345	178.0	133	98	19	4	16
1"1/2	200	460	410	190.5	156	114	22	4	25
2"	200	500	445	215.9	165	127	19	8	33
2"1/2	200	525	460	241.3	191	149	22	8	48
3"	250	600	515	282.6	210	168	22	8	69
4"	300	810	715	304.8	254	200	22	8	100
5"	300	860	740	381.0	279	235	22	8	125
6"	350	990	840	403.2	318	270	22	12	160
8"	425	1205	1010	419.1	381	330	25	12	250
10"	500	1445	1190	457.2	445	387	29	16	380
12"	600	1510	1205	501.6	521	451	32	16	430
14"	600	1860	1505	762.0	584	514	32	20	470

Combinazione materiali standard – Standard Combination materials			
ITEM	DENOMINAZIONE DENOMINATION	GS/316	GS/B
		MATERIALE MATERIAL	MATERIALE MATERIAL
01	Body	Nodular cast iron ASTM A395	Nodular cast iron ASTM A395
02	Bonnet	Nodular cast iron ASTM A395	Nodular cast iron ASTM A395
03	Body seat	Stainless steel ASTM A182 (F316)	Bronze ASTM B62
04	Disc	Stainless steel ASTM A351 CF8M or Nodular cast iron ASTM A395 + S.S. CF8M	Bronze ASTM B62 or Nodular cast iron ASTM A395 + Bronze
05	Stem	Stainless steel ASTM A182 (F316)	Bronze ASTM B62 or Brass
06	Handwheel	Sheet of carbon steel	Sheet of carbon steel
07	Gland flange	Cast steel ASTM A105	Bronze ASTM B62
08	Gasket	Planiflex KG carbo/C PF81	Planiflex KG carbo/C PF81
09	Packing	Carbograph GR8800	Carbograph GR8800

Nota: Combinazioni materiali non standard a richiesta
Note: Combinations non standard materials on request